

1299

Mat = 42CrMo4
bonificato / tempered


H = 250.00

Max T/m = 80


$\alpha = 30^\circ$

R = 1

500 mm	13,3 kg
1100 mm FRAZ. / SECT.	29,2 kg
100 mm	2,6 kg



ATTACCO RF-A
INCLUSO SU RICHIESTA
RF-A TANG INCLUDED
ON DEMAND



1300

Mat = 42CrMo4
bonificato / tempered


H = 250.00

Max T/m = 120


$\alpha = 30^\circ$

R = 3

500 mm	21,0 kg
1100 mm FRAZ. / SECT.	46,0 kg
100 mm	4,2 kg



ATTACCO RF-A
INCLUSO SU RICHIESTA
RF-A TANG INCLUDED
ON DEMAND



1220

Mat = C45
bonificato / tempered

H = 155.00


Max T/m = 80

α = 30°

R = 1

1000 mm	16,0 kg
500 mm	8,0 kg
1100 mm FRAZ. / SECT.	16,0 kg
100 mm	1,6 kg






1225

Mat = C45
 bonificato / tempered
H = 155.00
Max T/m = 100
 $\alpha = 30^\circ$
R = 3


1000 mm	16,0 kg
500 mm	8,0 kg
1100 mm FRAZ. / SECT.	16,0 kg
100 mm	1,6 kg



1226

Mat = C45
 bonificato / tempered
H = 155.00
Max T/m = 100
 $\alpha = 30^\circ$
R = 1


1000 mm	21,0 kg
500 mm	10,0 kg
1100 mm FRAZ. / SECT.	21,0 kg
100 mm	2,0 kg



1230

Mat = C45
bonificato / tempered
H = 175.00
Max T/m = 80
 $\alpha = 30^\circ$
R = 1


1000 mm	16,0 kg
500 mm	8,0 kg
1100 mm FRAZ. / SECT.	16,0 kg
100 mm	1,6 kg



1231

Mat = C45
bonificato / tempered
H = 175.00
Max T/m = 100
 $\alpha = 30^\circ$
R = 3

1000 mm	25,0 kg
500 mm	12,0 kg
1100 mm FRAZ. / SECT.	25,0 kg
100 mm	2,4 kg



1232

Mat = C45
 bonificato / tempered
H = 175.00
Max T/m = 100
 α = 30°
R = 1

1000 mm	25,0 kg
500 mm	12,0 kg
1100 mm FRAZ. / SECT.	25,0 kg
100 mm	2,4 kg