


3042

Mat = C45
Max T/m = 35
 $\alpha = 30^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm	13,0 kg
FRAZ. / SECT.	



3043

Mat = C45
Max T/m = 40
 $\alpha = 30^\circ$


835 mm	14,0 kg
415 mm	7,0 kg
805 mm	14,0 kg
FRAZ. / SECT.	



3044

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	




3045

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	17,0 kg
415 mm	8,0 kg
805 mm	17,0 kg
FRAZ. / SECT.	






3046

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3047

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$


835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg



3048

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$


835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg



3073

Mat = C45
Max T/m = 35
 $\alpha = 30^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	17,0 kg



3074

Mat = C45
Max T/m = 40
 $\alpha = 30^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3075

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg




3076

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg






3077

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	27,0 kg
415 mm	13,0 kg
805 mm FRAZ. / SECT.	27,0 kg



3078

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$

835 mm	30,0 kg
415 mm	15,0 kg
805 mm FRAZ. / SECT.	30,0 kg




3079

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	33,0 kg
415 mm	16,0 kg
805 mm FRAZ. / SECT.	33,0 kg


MATRICI 1V - 30° / 1V DIES - 30°



2086

Mat = C45
Max T/m = 100
 $\alpha = 30^\circ$

835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg





2087



Mat = C45
Max T/m = 100
 $\alpha = 30^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg

3173



ESEMPIO DI MONTAGGIO
ASSEMBLY EXAMPLE






3166

Mat = C45
Max T/m = 35
 $\alpha = 30^\circ$


835 mm	5,0 kg
415 mm	2,0 kg
805 mm FRAZ. / SECT.	5,0 kg



3167

Mat = C45
Max T/m = 40
 $\alpha = 30^\circ$


835 mm	6,0 kg
415 mm	3,0 kg
805 mm FRAZ. / SECT.	6,0 kg



3168

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	8,0 kg
415 mm	4,0 kg
805 mm FRAZ. / SECT.	8,0 kg




3169

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$

835 mm	7,0 kg
415 mm	3,0 kg
805 mm FRAZ. / SECT.	7,0 kg






3170

Mat = C45
Max T/m = 50
 $\alpha = 30^\circ$


835 mm	9,0 kg
415 mm	4,0 kg
805 mm FRAZ. / SECT.	9,0 kg



3171

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$

835 mm	9,0 kg
415 mm	4,0 kg
805 mm FRAZ. / SECT.	9,0 kg



3172

Mat = C45
Max T/m = 55
 $\alpha = 30^\circ$

835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg