


3019

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 13,0 kg |
| 415 mm                  | 6,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 13,0 kg |



3020

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 13,0 kg |
| 415 mm                  | 6,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 13,0 kg |



3021

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 13,0 kg |
| 415 mm                  | 6,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 13,0 kg |




3022

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 13,0 kg |
| 415 mm                  | 6,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 13,0 kg |






3023

Mat = C45  
Max T/m = 75

$\alpha = 60^\circ$

|               |         |
|---------------|---------|
| 835 mm        | 18,0 kg |
| 415 mm        | 9,0 kg  |
| 805 mm        | 18,0 kg |
| FRAZ. / SECT. |         |




3024

Mat = C45  
Max T/m = 70

$\alpha = 60^\circ$

|               |         |
|---------------|---------|
| 835 mm        | 19,0 kg |
| 415 mm        | 9,0 kg  |
| 805 mm        | 19,0 kg |
| FRAZ. / SECT. |         |




3025

Mat = C45  
Max T/m = 65

$\alpha = 60^\circ$


|               |         |
|---------------|---------|
| 835 mm        | 20,0 kg |
| 415 mm        | 10,0 kg |
| 805 mm        | 20,0 kg |
| FRAZ. / SECT. |         |



3059

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 17,0 kg |
| 415 mm                  | 8,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 17,0 kg |



3060

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 17,0 kg |
| 415 mm                  | 8,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 17,0 kg |



3061

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 18,0 kg |
| 415 mm                  | 9,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 18,0 kg |




3062

Mat = C45  
Max T/m = 75  
 $\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 18,0 kg |
| 415 mm                  | 9,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 18,0 kg |






3063

Mat = C45  
Max T/m = 70  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 22,0 kg |
| 415 mm                  | 11,0 kg |
| 805 mm<br>FRAZ. / SECT. | 22,0 kg |



3064

Mat = C45  
Max T/m = 65  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 27,0 kg |
| 415 mm                  | 13,0 kg |
| 805 mm<br>FRAZ. / SECT. | 27,0 kg |



3065

Mat = C45  
Max T/m = 60  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 30,0 kg |
| 415 mm                  | 15,0 kg |
| 805 mm<br>FRAZ. / SECT. | 30,0 kg |



## 2082

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 28,0 kg |
| 415 mm                  | 14,0 kg |
| 805 mm<br>FRAZ. / SECT. | 28,0 kg |



## 2083

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 34,0 kg |
| 415 mm                  | 17,0 kg |
| 805 mm<br>FRAZ. / SECT. | 34,0 kg |





## 2089



Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$


|                         |         |
|-------------------------|---------|
| 835 mm                  | 60,0 kg |
| 415 mm                  | 30,0 kg |
| 805 mm<br>FRAZ. / SECT. | 60,0 kg |

3173



ESEMPIO DI MONTAGGIO  
ASSEMBLY EXAMPLE






3193

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$


|                         |        |
|-------------------------|--------|
| 835 mm                  | 5,4 kg |
| 415 mm                  | 2,7 kg |
| 805 mm<br>FRAZ. / SECT. | 5,4 kg |



3194

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$


|                         |        |
|-------------------------|--------|
| 835 mm                  | 5,4 kg |
| 415 mm                  | 2,7 kg |
| 805 mm<br>FRAZ. / SECT. | 5,4 kg |



3195

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$

|                         |        |
|-------------------------|--------|
| 835 mm                  | 6,4 kg |
| 415 mm                  | 3,2 kg |
| 805 mm<br>FRAZ. / SECT. | 6,4 kg |




3196

Mat = C45  
Max T/m = 100  
 $\alpha = 60^\circ$

|                         |        |
|-------------------------|--------|
| 835 mm                  | 6,2 kg |
| 415 mm                  | 3,1 kg |
| 805 mm<br>FRAZ. / SECT. | 6,2 kg |






3197

Mat = C45  
Max T/m = 100

$\alpha = 60^\circ$

|                         |        |
|-------------------------|--------|
| 835 mm                  | 7,7 kg |
| 415 mm                  | 3,9 kg |
| 805 mm<br>FRAZ. / SECT. | 7,7 kg |




3198

Mat = C45  
Max T/m = 100

$\alpha = 60^\circ$

|                         |        |
|-------------------------|--------|
| 835 mm                  | 9,0 kg |
| 415 mm                  | 4,5 kg |
| 805 mm<br>FRAZ. / SECT. | 9,0 kg |



3199

Mat = C45  
Max T/m = 100

$\alpha = 60^\circ$

|                         |         |
|-------------------------|---------|
| 835 mm                  | 10,0 kg |
| 415 mm                  | 5,0 kg  |
| 805 mm<br>FRAZ. / SECT. | 10,0 kg |