


3080

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3081

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	13,0 kg
415 mm	6,0 kg
805 mm FRAZ. / SECT.	13,0 kg



3082

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	15,0 kg
415 mm	7,0 kg
805 mm FRAZ. / SECT.	15,0 kg




3015

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	15,0 kg
415 mm	7,0 kg
805 mm FRAZ. / SECT.	15,0 kg






3016

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg



3017

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	19,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	19,0 kg



3018

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	20,0 kg
415 mm	10,0 kg
805 mm FRAZ. / SECT.	20,0 kg



3083

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	17,0 kg



3084

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	17,0 kg
415 mm	8,0 kg
805 mm FRAZ. / SECT.	17,0 kg



3085

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg




3055

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	18,0 kg
415 mm	9,0 kg
805 mm FRAZ. / SECT.	18,0 kg






3056

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	22,0 kg
415 mm	11,0 kg
805 mm FRAZ. / SECT.	22,0 kg



3057

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	27,0 kg
415 mm	13,0 kg
805 mm FRAZ. / SECT.	27,0 kg





3058



Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	30,0 kg
415 mm	15,0 kg
805 mm FRAZ. / SECT.	30,0 kg

3173



ESEMPIO DI MONTAGGIO
ASSEMBLY EXAMPLE






3158

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	5,0 kg
415 mm	2,0 kg
805 mm FRAZ. / SECT.	5,0 kg



3159

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	5,0 kg
415 mm	2,0 kg
805 mm FRAZ. / SECT.	5,0 kg



3160

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	5,0 kg
415 mm	2,0 kg
805 mm FRAZ. / SECT.	5,0 kg




3161

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	6,0 kg
415 mm	3,0 kg
805 mm FRAZ. / SECT.	6,0 kg






3162

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	6,0 kg
415 mm	3,0 kg
805 mm FRAZ. / SECT.	6,0 kg



3163

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$


835 mm	8,0 kg
415 mm	4,0 kg
805 mm FRAZ. / SECT.	8,0 kg



3164

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	9,0 kg
415 mm	4,0 kg
805 mm FRAZ. / SECT.	9,0 kg



3165

Mat = C45
Max T/m = 100
 $\alpha = 88^\circ$

835 mm	10,0 kg
415 mm	5,0 kg
805 mm FRAZ. / SECT.	10,0 kg