


25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. / SECT.	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3123

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$




25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. / SECT.	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3124

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$






25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. B / SECT. B	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3125


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	
35-40 mm	0,8 kg
45-50	
100 mm	2,0 kg
200 mm	4,1 kg
300 mm	6,2 kg
500 mm	10,2 kg
550 mm	11,3 kg
FRAZ. B / SECT. B	
1050 mm	21,0 kg
FRAZ. B / SECT. B	
1250 mm	25,0 kg
FRAZ. B / SECT. B	
2050 mm	41,0 kg
FRAZ. B / SECT. B	
2550 mm	51,0 kg
FRAZ. B / SECT. B	
3050 mm	61,0 kg
FRAZ. B / SECT. B	
4050 mm	81,0 kg
FRAZ. B / SECT. B	

3126


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	
35-40 mm	0,9 kg
45-50	
100 mm	2,4 kg
200 mm	4,8 kg
300 mm	7,2 kg
500 mm	11,8 kg
550 mm	13,0 kg
FRAZ. B / SECT. B	
1050 mm	25,2 kg
FRAZ. B / SECT. B	
1250 mm	30,0 kg
FRAZ. B / SECT. B	
2050 mm	49,2 kg
FRAZ. B / SECT. B	
2550 mm	63,7 kg
FRAZ. B / SECT. B	
3050 mm	73,2 kg
FRAZ. B / SECT. B	
4050 mm	97,2 kg
FRAZ. B / SECT. B	

3127

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$




25-30	
35-40 mm	0,9 kg
45-50	
100 mm	2,4 kg
200 mm	4,8 kg
300 mm	7,2 kg
500 mm	11,8 kg
550 mm	13,0 kg
FRAZ. B / SECT. B	
1050 mm	25,2 kg
FRAZ. B / SECT. B	
1250 mm	30,0 kg
FRAZ. B / SECT. B	
2050 mm	49,2 kg
FRAZ. B / SECT. B	
2550 mm	63,7 kg
FRAZ. B / SECT. B	
3050 mm	73,2 kg
FRAZ. B / SECT. B	
4050 mm	97,2 kg
FRAZ. B / SECT. B	

3128

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$






25-30	
35-40 mm	1,1 kg
45-50	
100 mm	2,8 kg
200 mm	5,6 kg
300 mm	8,4 kg
500 mm	14,0 kg
550 mm	15,4 kg
FRAZ. B / SECT. B	
1050 mm	29,4 kg
FRAZ. B / SECT. B	
1250 mm	35,0 kg
FRAZ. B / SECT. B	
2050 mm	57,4 kg
FRAZ. B / SECT. B	
2550 mm	71,4 kg
FRAZ. B / SECT. B	
3050 mm	85,4 kg
FRAZ. B / SECT. B	
4050 mm	113,4 kg
FRAZ. B / SECT. B	

3129


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	
35-40 mm	1,4 kg
45-50	
100 mm	3,6 kg
200 mm	7,2 kg
300 mm	10,8 kg
500 mm	18,0 kg
550 mm	18,0 kg
FRAZ. B / SECT. B	
1050 mm	37,8 kg
FRAZ. B / SECT. B	
1250 mm	45,0 kg
FRAZ. B / SECT. B	
2050 mm	73,8 kg
FRAZ. B / SECT. B	
2550 mm	91,8 kg
FRAZ. B / SECT. B	
3050 mm	109,8 kg
FRAZ. B / SECT. B	
4050 mm	145,8 kg
FRAZ. B / SECT. B	

3130


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	
35-40 mm	1,7 kg
45-50	
100 mm	4,2 kg
200 mm	8,4 kg
300 mm	12,6 kg
500 mm	21,0 kg
550 mm	21,0 kg
FRAZ. / SECT.	
1050 mm	44,1 kg
FRAZ. B / SECT. B	
1250 mm	52,5 kg
FRAZ. B / SECT. B	
2050 mm	84,0 kg
FRAZ. B / SECT. B	
2550 mm	104,5 kg
FRAZ. B / SECT. B	
3050 mm	125,0 kg
FRAZ. B / SECT. B	
4050 mm	166,0 kg
FRAZ. B / SECT. B	

3131

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$




25-30	
35-40 mm	2,2 kg
45-50	
100 mm	5,6 kg
200 mm	11,2 kg
300 mm	16,8 kg
500 mm	28,0 kg
550 mm	28,0 kg
SEKT.	
1050 mm	58,8 kg
SEKT. B	
1250 mm	70,0 kg
SEKT. B	
2050 mm	114,8 kg
SEKT. B	
2550 mm	142,8 kg
SEKT. B	
3050 mm	170,8 kg
SEKT. B	
4050 mm	226,8 kg
SEKT. B	

3132

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$






25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. / SECT.	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3200

Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°




25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. / SECT.	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3201

Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°






25-30	
35-40 mm	0,6 kg
45-50	
100 mm	1,8 kg
200 mm	3,6 kg
300 mm	5,4 kg
500 mm	8,7 kg
550 mm	9,6 kg
FRAZ. / SECT.	
1050 mm	18,9 kg
FRAZ. B / SECT. B	
1250 mm	22,5 kg
FRAZ. B / SECT. B	
2050 mm	36,9 kg
FRAZ. B / SECT. B	
2550 mm	45,9 kg
FRAZ. B / SECT. B	
3050 mm	54,9 kg
FRAZ. B / SECT. B	
4050 mm	72,9 kg
FRAZ. B / SECT. B	

3202


Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°



25-30	
35-40 mm	0,8 kg
45-50	
100 mm	2,0 kg
200 mm	4,1 kg
300 mm	6,2 kg
500 mm	10,2 kg
550 mm	11,3 kg
FRAZ. / SECT.	
1050 mm	21,0 kg
FRAZ. B / SECT. B	
1250 mm	25,0 kg
FRAZ. B / SECT. B	
2050 mm	41,0 kg
FRAZ. B / SECT. B	
2550 mm	51,0 kg
FRAZ. B / SECT. B	
3050 mm	61,0 kg
FRAZ. B / SECT. B	
4050 mm	81,0 kg
FRAZ. B / SECT. B	

3203


Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°



25-30	
35-40 mm	1,0 kg
45-50	
100 mm	2,5 kg
200 mm	5,0 kg
300 mm	7,5 kg
500 mm	12,5 kg
550 mm	13,8 kg
FRAZ. B / SECT. B	
1050 mm	26,2 kg
FRAZ. B / SECT. B	
1250 mm	31,2 kg
FRAZ. B / SECT. B	
2050 mm	51,2 kg
FRAZ. B / SECT. B	
2550 mm	63,7 kg
FRAZ. B / SECT. B	
3050 mm	76,2 kg
FRAZ. B / SECT. B	
4050 mm	101,2 kg
FRAZ. B / SECT. B	

3204

Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°




25-30	
35-40 mm	1,0 kg
45-50	
100 mm	2,5 kg
200 mm	5,0 kg
300 mm	7,5 kg
500 mm	12,5 kg
550 mm	13,8 kg
FRAZ. B / SECT. B	
1050 mm	26,2 kg
FRAZ. B / SECT. B	
1250 mm	31,2 kg
FRAZ. B / SECT. B	
2050 mm	51,2 kg
FRAZ. B / SECT. B	
2550 mm	63,7 kg
FRAZ. B / SECT. B	
3050 mm	76,2 kg
FRAZ. B / SECT. B	
4050 mm	101,2 kg
FRAZ. B / SECT. B	

3205

Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°






25-30	
35-40 mm	1,1 kg
45-50	
100 mm	2,8 kg
200 mm	5,6 kg
300 mm	8,4 kg
500 mm	14,0 kg
550 mm	15,4 kg
FRAZ. / SECT.	
1050 mm	29,4 kg
FRAZ. B / SECT. B	
1250 mm	35,0 kg
FRAZ. B / SECT. B	
2050 mm	57,4 kg
FRAZ. B / SECT. B	
2550 mm	71,4 kg
FRAZ. B / SECT. B	
3050 mm	85,4 kg
FRAZ. B / SECT. B	
4050 mm	113,4 kg
FRAZ. B / SECT. B	

3215


Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°



25-30	
35-40 mm	1,4 kg
45-50	
100 mm	3,5 kg
200 mm	7,0 kg
300 mm	10,5 kg
500 mm	17,5 kg
550 mm	19,3 kg
FRAZ. / SECT.	
1050 mm	36,7 kg
FRAZ. B / SECT. B	
1250 mm	43,7 kg
FRAZ. B / SECT. B	
2050 mm	71,7 kg
FRAZ. B / SECT. B	
2550 mm	89,2 kg
FRAZ. B / SECT. B	
3050 mm	106,7 kg
FRAZ. B / SECT. B	
4050 mm	141,7 kg
FRAZ. B / SECT. B	

3216


Mat = 42CrMo4
bonificato / tempered
Max T/m = 100
α = 86°



25-30	
35-40 mm	1,6 kg
45-50	
100 mm	4,0 kg
200 mm	8,0 kg
300 mm	12,0 kg
500 mm	20,0 kg
550 mm	22,0 kg
FRAZ. / SECT.	
1050 mm	42,0 kg
FRAZ. B / SECT. B	
1250 mm	50,0 kg
FRAZ. B / SECT. B	
2050 mm	82,0 kg
FRAZ. B / SECT. B	
2550 mm	102,0 kg
FRAZ. B / SECT. B	
3050 mm	122,0 kg
FRAZ. B / SECT. B	
4050 mm	162,0 kg
FRAZ. B / SECT. B	

3217

Mat = 42CrMo4
bonificato / tempered
Max T/m = 120
α = 86°




25-30	
35-40 mm	2,2 kg
45-50	
100 mm	5,5 kg
200 mm	11,0 kg
300 mm	16,5 kg
500 mm	27,5 kg
550 mm	30,3 kg
FRAZ. / SECT.	
1050 mm	57,7 kg
FRAZ. B / SECT. B	
1250 mm	68,7 kg
FRAZ. B / SECT. B	
2050 mm	112,7 kg
FRAZ. B / SECT. B	
2550 mm	140,2 kg
FRAZ. B / SECT. B	
3050 mm	167,7 kg
FRAZ. B / SECT. B	
4050 mm	222,7 kg
FRAZ. B / SECT. B	

3218

Mat = 42CrMo4
bonificato / tempered
Max T/m = 150
α = 86°






25-30	1,0 kg
35-40 mm	
45-50	
100 mm	2,6 kg
200 mm	5,2 kg
300 mm	7,8 kg
500 mm	13,0 kg
550 mm	13,0 kg
FRAZ. / SECT.	
1050 mm	27,3 kg
FRAZ. B / SECT. B	
1250 mm	32,5 kg
FRAZ. B / SECT. B	
2050 mm	53,3 kg
FRAZ. B / SECT. B	
2550 mm	66,3 kg
FRAZ. B / SECT. B	
3050 mm	79,3 kg
FRAZ. B / SECT. B	
4050 mm	105,3 kg
FRAZ. B / SECT. B	

3143


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	1,0 kg
35-40 mm	
45-50	
100 mm	2,6 kg
200 mm	5,2 kg
300 mm	7,8 kg
500 mm	13,0 kg
550 mm	13,0 kg
FRAZ. / SECT.	
1050 mm	27,3 kg
FRAZ. B / SECT. B	
1250 mm	32,5 kg
FRAZ. B / SECT. B	
2050 mm	53,3 kg
FRAZ. B / SECT. B	
2550 mm	66,3 kg
FRAZ. B / SECT. B	
3050 mm	79,3 kg
FRAZ. B / SECT. B	
4050 mm	105,3 kg
FRAZ. B / SECT. B	

3144

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$




25-30	1,0 kg
35-40 mm	
45-50	
100 mm	2,6 kg
200 mm	5,2 kg
300 mm	7,8 kg
500 mm	13,0 kg
550 mm	13,0 kg
FRAZ. / SECT.	
1050 mm	27,3 kg
FRAZ. B / SECT. B	
1250 mm	32,5 kg
FRAZ. B / SECT. B	
2050 mm	53,3 kg
FRAZ. B / SECT. B	
2550 mm	66,3 kg
FRAZ. B / SECT. B	
3050 mm	79,3 kg
FRAZ. B / SECT. B	
4050 mm	105,3 kg
FRAZ. B / SECT. B	

3145

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$






25-30	1,3 kg
35-40 mm	
45-50	
100 mm	3,2 kg
200 mm	6,4 kg
300 mm	9,6 kg
500 mm	16,0 kg
550 mm FRAZ. / SECT.	16,0 kg
1050 mm FRAZ. B / SECT. B	33,6 kg
1250 mm FRAZ. B / SECT. B	40,0 kg
2050 mm FRAZ. B / SECT. B	65,6 kg
2550 mm FRAZ. B / SECT. B	81,6 kg
3050 mm FRAZ. B / SECT. B	97,6 kg
4050 mm FRAZ. B / SECT. B	129,6 kg

3146


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	1,4 kg
35-40 mm	
45-50	
100 mm	3,6 kg
200 mm	7,2 kg
300 mm	10,8 kg
500 mm	18,0 kg
550 mm FRAZ. / SECT.	18,0 kg
1050 mm FRAZ. B / SECT. B	37,8 kg
1250 mm FRAZ. B / SECT. B	45,0 kg
2050 mm FRAZ. B / SECT. B	73,8 kg
2550 mm FRAZ. B / SECT. B	91,8 kg
3050 mm FRAZ. B / SECT. B	109,8 kg
4050 mm FRAZ. B / SECT. B	145,8 kg

3147


Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$



25-30	1,4 kg
35-40 mm	
45-50	
100 mm	3,6 kg
200 mm	7,2 kg
300 mm	10,8 kg
500 mm	18,0 kg
550 mm FRAZ. B / SECT. B	18,0 kg
1050 mm FRAZ. B / SECT. B	37,8 kg
1250 mm FRAZ. B / SECT. B	45,0 kg
2050 mm FRAZ. B / SECT. B	73,8 kg
2550 mm FRAZ. B / SECT. B	91,8 kg
3050 mm FRAZ. B / SECT. B	109,8 kg
4050 mm FRAZ. B / SECT. B	145,8 kg

3148

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$




25-30	1,4 kg
35-40 mm	
45-50	
100 mm	3,6 kg
200 mm	7,2 kg
300 mm	10,8 kg
500 mm	18,0 kg
550 mm FRAZ. B / SECT. B	18,0 kg
1050 mm FRAZ. B / SECT. B	37,8 kg
1250 mm FRAZ. B / SECT. B	45,0 kg
2050 mm FRAZ. B / SECT. B	73,8 kg
2550 mm FRAZ. B / SECT. B	91,8 kg
3050 mm FRAZ. B / SECT. B	109,8 kg
4050 mm FRAZ. B / SECT. B	145,8 kg

3149

Mat = C45
Max T/m = 100
 $\alpha = 86^\circ$






3250

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	4,7 kg
550 mm FRAZ. / SECT.	5 kg




3251

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	4,6 kg
550 mm FRAZ. / SECT.	4,9 kg




3252

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	5,4 kg
550 mm FRAZ. / SECT.	5,7 kg




3253

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	5,3 kg
550 mm FRAZ. / SECT.	5,7 kg




3254

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	6,1 kg
550 mm FRAZ. / SECT.	6,6 kg



3255

Mat = 42CrMo4
bonificato / tempered

Max T/m = 120

α = 86°

515 mm	7,1 kg
550 mm FRAZ. / SECT.	7,7 kg