


3241

**Mat** = C45  
**Max T/m** = 100  
**α** = 88°


1000 mm	8,0 kg
500 mm	4,0 kg
1100 mm FRAZ. / SECT.	8,0 kg
100 mm	0,8 kg



3242

**Mat** = C45  
**Max T/m** = 100  
**α** = 88°


1000 mm	9,0 kg
500 mm	4,0 kg
1100 mm FRAZ. / SECT.	9,0 kg
100 mm	0,8 kg



3106

Mat = C45  
Max T/m = 100  
 $\alpha = 88^\circ$


1000 mm	10,0 kg
500 mm	5,0 kg
1100 mm FRAZ. / SECT.	10,0 kg
100 mm	1,0 kg



3107

Mat = C45  
Max T/m = 100  
 $\alpha = 88^\circ$


1000 mm	10,0 kg
500 mm	5,0 kg
1100 mm FRAZ. / SECT.	10,0 kg
100 mm	1,0 kg



3108

Mat = C45  
Max T/m = 100  
 $\alpha = 88^\circ$


1000 mm	14,0 kg
500 mm	7,0 kg
1100 mm FRAZ. / SECT.	14,0 kg
100 mm	1,4 kg



3109

Mat = C45  
Max T/m = 100  
 $\alpha = 88^\circ$

1000 mm	14,0 kg
500 mm	7,0 kg
1100 mm FRAZ. / SECT.	14,0 kg
100 mm	1,4 kg



3110

Mat = C45  
Max T/m = 100  
 $\alpha = 88^\circ$

1000 mm	18,0 kg
500 mm	9,0 kg
1100 mm FRAZ. / SECT.	18,0 kg
100 mm	1,8 kg