

# ps:<sup>®</sup>wheel-deburr

FOR MACHINE TYPE TRUMPF, THICK TURRET AND SALVAGNINI

TRUMPF

THICK TURRET

SALVAGNINI

A while ago we sent you technical information about our Wheel Tools. Do you remember: our new Wheel Tools for tooling system THICK TURRET or the advantages of segmented wheels on straight lines.

Wheel tools are always evolving and it is always an interesting and effective subject.

Our ball deburring tool

**ps:<sup>®</sup>wheel-deburr**


is an updated, modified version of a Wheel Tool.

Deburring of material is a normal operation in the fabricating work day. The **ps:<sup>®</sup>wheel-deburr** meets the claim of a fast and effective operation in order to save time and money.

The ball is integrated in a solid bed and is available in 2 versions: V3 Version (Ø 15 mm) is designed for a double-side operation. V4 Version (Ø 8 mm) is designed for one-side operation. Double-side deburring close to the inside edges is possible (a complete deburring is possible when edge radius is min. R= 3 mm).

**Version V4 Ø 8 mm**

**Version V3 Ø 15 mm**



Technical Information 10/2020 Version 2.1

# ps:<sup>®</sup>wheel-deburr

FOR MACHINE TYPE TRUMPF, THICK TURRET AND SALVAGNINI

The ball for deburring works free of clearance under pressure during the process.  
The ball rack is polished and provides a trouble-free procedure.

The tool is designed with a fully adjustable pre-loaded spring in the upper part for fine adjustment of the spring force up to  $s = 6 \text{ mm}$  (dependent on the tooling system).


The interchangeable spring in the upper part provides a rough adjustment of the spring force for different sheet types (e.g. aluminium, steel oder stainless steel).

The tool is designed and produced for low maintenance and a long tool life.

TRUMPF

THICK TURRET

SALVAGNINI




Technical Information 10/2020 Version 2.1

# ps:<sup>®</sup>wheel-deburr

FOR MACHINE TYPE TRUMPF, THICK TURRET AND SALVAGNINI

TRUMPF  
THICK TURRET  
SALVAGNINI

	ps: <sup>®</sup> wheel-deburr made by PASS	also available on the market
1.	fully adjustable pre-loaded spring in the upper part for fine adjustment	solid upper part
2.	interchangeable spring in the upper part for rough adjustment of the spring force for different sheet types (aluminium / steel / stainless steel)	limited usability for stainless steel sheets
3.	ball integrated in a <b>solid</b> and hardened bed	ball integrated in an aluminium case
4.	ball for deburring - works free of clearance under pressure during process	cannot work free of clearance under pressure
5.	ball rack is polished and provides a trouble-free procedure	aluminium case
6.	low maintenance - long tool life	permanent maintenance necessary
7.	can be used in the smallest space - no blocking of large stations	



Technical Information 10/2020 Version 2.1